


Nau Ivanow

THEATER TECHNICAL SHEET 2026



ACCESS - LOCATION

30 HONDURAS STREET, LA SAGRERA, BARCELONA.



BUILDING

Multipurpose space, cement floor with 0% slope, grid with fixed bars throughout the ceiling.
Loading and unloading is direct and at the same level as the stage.

Total area

Width: 12.60 m

Depth: 14 m

Height: 3.80 m

The stage space (usual) has the following measurements:

Width: 6 m

Depth: 8 m

Height: 3.80 m

The floor is covered with 3 sheets of black linoleum measuring 2 x 8 m.



SOUND

P.A.

- 2 JBL 400W Speakers (Passive)
- 1 DAS amplifier 1000W

MONITORS

- 2 Speaker LD Sat 62A - 50W (Active)

CONTROL

- 1 Table Yamaha MG 16 XU (16 ch (8 micro/line + 4 stereo))
- 1 Behringer U-PHORIA UMC202HD interface

MICROPHONES

4 Shure PGA 48 vocal microphones
2 Behringer Condenser microphones
1 Shure BLX wireless system with 2 SM58 mics

STANDS

- 4 Mic Stands
- 2 Adjustable Speaker Tripods

LIGHTING MATERIAL

- 2 PC 1 KW (No bandoors)
- 20 Profile ETC jr 25°/50° 575 W
- 10 PAR 64 cp62
- 4 Asymmetric cyclorama 1 KW
- 7 Fresnel Led Varytec Theater Spot 100, 3000K, 100W
- 8 Par 64 led Stairville Z120 M RGBW 120 W
- 1 Hazer machine unique 2.1

REGULATION AND CONTROL

- 24 Dimmer Channels x 2kW
- 1 Table lighting 48ch / 12 Submasters LT Piccolo.
- 1 Showtec Lampy 10 lighting table, 2U, dmx512.
- 8 Socapex hoses x 6 circuits each.
- 2 Spliter DMX Stairville 8 usb 3 pin.

STRUCTURES

5 floor stand

HELP AT WORK

2 Ladder Hailo 4MH
1 platform 2.2 m

VIDEO

- 1 Optoma s303 Projector
- 3000 ANSI lumens
- UXGA resolution (1600 x 1200)
- 15,000:1 contrast
- Inputs: HDMI, VGA 1, VGA 2
- Throw Ratio: 1.97:1 - 2.17:1
- 2 Retractable Projection Screen 200 x 150 cm.

REGULATION AND CONTROL

- 1 VGA and HDMI box on the ceiling of the stage space, towards Control
- 1 Projector clamping claw



TECHNICAL CONTACT

ÁLVARO CASTILLO

alvaro@nauivanow.com